TRAFIKVERKET

Kenneth Natanaelsson Strategic planner Swedish transport administration



Objectives for High Capacity Transport

- Energy efficiency for freight transport
- Lower CO2 emissions per transported tonne km
- Reduced need for new infrastructure investments free capacity
- Safety is improved by the use of the best technology and less exposure (fewer vehicles).











Goals according to National transport plan

- 70-80 % of the most strategic roads for the industries should be open for BK4 at 2029
- 90 % of the most strategic roads for the industries should be open for BK4 at 2033
- Keep the same level for the bearing capacity all around the year for heavy vehicles – during periods of de-frosting

STRATEGIC ROADS FOR HEAVY VEHICLES



STATE ROADS







Skala (A4): 1:5 500 000 Konfidentialitetanivis: 2 Inte

0 0,05 0,1 0,15 0,2

Nuvarande BK4

Upplåtna BK4-vägar 202







Longer vehicles -


Swedish road network



Critical factors in the infrastructure

- Detour options (lane width, geometry, visibility)
- Intersections, roundabouts
- Narrow city passes
- Length of driveways, exits
- Access to terminals/harbours "first & last mile access"
- Emergency parking, Rest areas
- Environmental protection (if also larger ADR-vehicles are allowed)
- Maintenance levels (winter / summer)







Network for longer vehicles

Road network that will be open 1 December

- 4 500 km major roads
- 1 400 km roads to terminals-industries- ports (LMA)
- Additional roads for other road administrators municipalities and private
- LMA over 500 points

Effects

- The effects on the climate and the environment are positive
 - Overall 4-6 % less energy use
 - For each transport up to 30 % less energy use
- Positive effect on traffic safety
- Socio- economically very profitable proposal



Process to open the roads for longer vehicles

New regulation 31/8 - 2023

Transport agency – requirements on vehicles

Transport administration open road network